

L Number	Hits	Search Text	DB	Time stamp
1	863	455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:49
2	2449	channel adj condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:50
3	5910	transmit\$3 near3 (configurat\$4 or reconfigurat\$4 or re-configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:56
4	84	455/522.ccls. and (channel adj condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:52
5	27	455/522.ccls. and (transmit\$3 near3 (configurat\$4 or reconfigurat\$4 or re-configurat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:53
6	4	(455/522.ccls. and (channel adj condition)) and (455/522.ccls. and (transmit\$3 near3 (configurat\$4 or reconfigurat\$4 or re-configurat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:56
7	6871	antenna near5 (configurat\$4 or reconfigurat\$4 or re-configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:56
8	532	455/552.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:57
9	0	455/553.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:03
10	0	(antenna near5 (configurat\$4 or reconfigurat\$4 or re-configurat\$4)) and ((455/522.ccls. and (channel adj condition)) and (455/522.ccls. and (transmit\$3 near3 (configurat\$4 or reconfigurat\$4 or re-configurat\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:57
11	16	(antenna near5 (configurat\$4 or reconfigurat\$4 or re-configurat\$4)) and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:00
12	66	(select\$ with transmit with configurat\$4) same (channel\$3 or condition\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:03
13	0	455/522.ccls. and 455/552.ccls. and 455/553.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:18

15	384	455/553.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:03
16	0	455/522.ccls. and 455/552.ccls. and 455/553.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:04
17	1	((select\$3 with transmit with configurat\$4) same (channel\$3 or condition\$3)) and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:04
14	87	(select\$3 with transmit with configurat\$4) same (channel\$3 or condition\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:17
18	2586	(select\$3 with (transmit\$3 near2 power))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:19
19	0	455/522.ccls. and 455/552.ccls. and 455/553.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:19
20	4	455/522.ccls. and 455/552.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:20
21	8	455/522.ccls. and 455/553.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:20
23	1	((select\$3 with (transmit\$3 near2 power))) and 455/522.ccls.) and 455/552.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:20
22	124	((select\$3 with (transmit\$3 near2 power))) and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:22
24	20	((select\$3 with (transmit\$3 near2 power))) and 455/522.ccls.) and (channel near condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:30
25	16	((select\$3 with (transmit\$3 near2 power))) and 455/522.ccls.) and (channel near condition)) and ((transmit or power) adj2 level\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:50
26	10	((select\$3 with (transmit\$3 near2 power))) and 455/522.ccls.) and (channel near condition)) and ((transmit or power) adj2 level\$1)) and select	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:30

27	0	"5628052" and 455/33.3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:31
28	0	"5628052" and (455/33.3.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:31
29	0	"5628052" and (455/29.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:31
30	21	"5628052"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:32
31	5	"5628052" and movi\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:35
-	4	"0966125"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 11:48
-	8	"966125"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:24
-	14	"5666649"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:30
-	639	455/561.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:30
-	582	455/562.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:30
-	0	45/69.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:30
-	836	455/69.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:30
-	2435	455/550.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:31

-	0	transmit adj configuragtion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:32
-	0	transmit\$4 adj configuragtion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:32
-	0	transmit\$4 adj configuragtions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:33
-	1017	transmit\$4 adj configurations	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 11:03
-	3	455/561.ccls. and (transmit\$4 adj configurations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:35
-	0	(transmit\$4 adj configurations) and 455/562.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:35
-	0	(transmit\$4 adj configurations) and 45/69.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:35
-	0	(transmit\$4 adj configurations) and 455/550.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:35
-	3	(transmit\$4 adj configurations) and 455/69.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:49
-	379	(multi-output or multi-input) same ( transmit\$4 or configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:51
-	2	((multi-output or multi-input) same ( transmit\$4 or configuration)) and (455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:55
-	1	"6070086".PN.	USPAT	2003/03/13 10:53
-	1	"5974093".PN.	USPAT	2003/03/13 10:53
-	1	"5937011".PN.	USPAT	2003/03/13 10:53
-	0	(multiple-receiving or multiple-transmitting) with antenna\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:57

-	283	(multiple adj2 (receiving or transmitting)) with antenna\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:58
-	8	((multiple adj2 (receiving or transmitting)) with antenna\$1) and (455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 11:01
-	67	select\$ with (transmit\$4 adj configurations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 11:04
-	81	select\$3 with (transmit\$4 adj configurations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:21
-	2340	(channel or condition) with (mobility or move\$4) with (mobile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:24
-	4295	455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:25
-	103	((channel or condition) with (mobility or move\$4) with (mobile)) and (455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:34
-	1082	(carrier adj1 (noise adj ratio))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:37
-	24896	(signal adj1 (noise adj ratio))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:38
-	145	((carrier adj1 (noise adj ratio))) and ((signal adj1 (noise adj ratio)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:38
-	6	((carrier adj1 (noise adj ratio))) and ((signal adj1 (noise adj ratio))) and (455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:42
-	4	((carrier adj1 (noise adj ratio))) and ((signal adj1 (noise adj ratio))) and (455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.) and channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:50
-	2	((carrier adj1 (noise adj ratio))) and ((signal adj1 (noise adj ratio))) and (455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.) and channel) and (Walsh or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:51

-	0	((((( carrier adj1 (noise adj ratio))) and ( (signal adj1 (noise adj ratio))) and (455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.) and channel) and (Wals)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:51
-	1256	Walsh adj code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:52
-	64	(455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.) and (Walsh adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:51
-	6	((455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.) and (Walsh adj code)) and (antenna with Walsh adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:52
-	29	(space adj time adj spread\$3) with (diversity or transmit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:58
-	12	((space adj time adj spread\$3) with (diversity or transmit)) and select\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:41
-	461	(orthogonal adj code) and (Walsh adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:43
-	22	(455/561.ccls. or 455/562.ccls. or 45/69.ccls. or 455/69.ccls. or 455/550.ccls.) and ((orthogonal adj code) and (Walsh adj code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:43